

Revision Date: 12-10-2014

# SAFETY DATA SHEET

# 1. Identification

Product identifier: n-Propanol

Other means of identification

Synonyms: 1-Propanol, n-Propyl Alcohol, 1-Propyl Alcohol, n-Propan-1-ol, Propylic Alcohol,

Ethyl Carbinol, 1-Hydroxypropane

Product No.: 9086, 7169, 5351

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address: 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: Environmental Health & Safety e-mail: info@avantormaterials.com

**Emergency telephone number:** 

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

# 2. Hazard(s) identification

#### **Hazard Classification**

**Physical Hazards** 

Flammable liquids Category 3

**Health Hazards** 

Acute toxicity (Oral)

Serious Eye Damage/Eye Irritation

Specific Target Organ Toxicity 
Category 4

Category 2A

Category 3

Single Exposure

# **Label Elements**

#### **Hazard Symbol:**



Signal Word: Warning



Revision Date: 12-10-2014

**Hazard Statement:** Flammable liquid and vapor.

Harmful if swallowed.

Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

Precautionary Statement

**Prevention:** Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep

container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not eat, drink or smoke when using this product. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective

clothing/eye protection/face protection. Use only outdoors or in a well-

ventilated area. Wash thoroughly after handling.

Response: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell. Rinse mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. In case of fire: Use water spray, foam, dry powder or carbon

dioxide for extinction.

**Storage:** Keep container tightly closed. Store in well-ventilated place. Store locked

up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and

vapor. May cause flash fire or explosion.

# 3. Composition/information on ingredients

#### **Substances**

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
PROPYL ALCOHOL		71-23-8	99 - 100%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do

NOT induce vomiting.

Inhalation: Move to fresh air. Call a POISON CENTER or doctor/physician if you feel

unwell.



Revision Date: 12-10-2014

**Skin Contact:** Wash skin thoroughly with soap and water. If skin irritation occurs: Get

medical advice/attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately.

Most important symptoms/effects, acute and delayed

**Symptoms:** Harmful if swallowed. Irritating to eyes, respiratory system and skin.

Narcotic effect.

Indication of immediate medical attention and special treatment needed

**Treat symptomatically.** Symptoms may be delayed.

5. Fire-fighting measures

**General Fire Hazards:** Flammable liquid and vapor.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Heat may cause the

containers to explode.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move

containers from fire area if you can do so without risk.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. See Section 8 of the MSDS for Personal

Protective Equipment.

Methods and material for containment and cleaning up:

Eliminate all ignition sources if safe to do so. Take precautionary measures against static discharges. Stop leak if possible without any risk. Use only non-sparking tools. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later

recovery and disposal.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Inform

authorities if large amounts are involved.



Revision Date: 12-10-2014

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

# 7. Handling and storage

**Precautions for safe handling:** DO NOT handle, store or open near an open flame, sources of heat or

sources of ignition. Protect material from direct sunlight. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye

protection/face protection. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities:

Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a cool, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

# 8. Exposure controls/personal protection

# **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values 100 ppm		Source  US. ACGIH Threshold Limit Values (2011)
PROPYL ALCOHOL	TWA			
	REL	200 ppm	500 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	STEL	250 ppm	625 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	200 ppm	500 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	200 ppm	500 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	250 ppm	625 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	250 ppm	625 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
	TWA PEL	200 ppm	500 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)

Appropriate Engineering Controls

No data available.

# Individual protection measures, such as personal protective equipment

**General information:** Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls

to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area. Use explosion-proof ventilation equipment.

**Eye/face protection:** Wear safety glasses with side shields (or goggles) and a face shield.

**Skin Protection** 

**Hand Protection:** Wear protective gloves.

Other: Wear suitable protective clothing.

SDS\_US - SDS000001014



Revision Date: 12-10-2014

**Respiratory Protection:** If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level

(in countries where exposure limits have not been established), an

approved respirator must be worn.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

# 9. Physical and chemical properties

**Appearance** 

Physical state: Liquid
Form: Liquid
Color: Colorless

Odor: Slight odor of alcohol
Odor threshold: No data available.
pH: No data available.

Melting point/freezing point:  $-127 \, ^{\circ}\text{C}$  Initial boiling point and boiling range:  $97 \, ^{\circ}\text{C}$ 

Flash Point: 23 °C (Closed Cup)

Evaporation rate: 1.0 (butyl acetate=1)

Flammability (solid, gas): Class IB Flammable Liquid

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): 13.5 %(V)
Flammability limit - lower (%): 2.1 %(V)

Explosive limit - upper (%):

Explosive limit - lower (%):

Vapor pressure:

No data available.

No data available.

2.80 kPa (25 °C)

Vapor density: 2.1 AIR=1 Relative density: 0.80 (20 °C)

Solubility(ies)

Solubility in water: Miscible with water.
Solubility (other): No data available.

Partition coefficient (n-octanol/water): 0.25
Auto-ignition temperature: 775 °F

**Decomposition temperature:**No data available. **Viscosity:**No data available.

Other information

Molecular weight: 60.1 g/mol (C3H8O)

# 10. Stability and reactivity

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical Stability:** Material is stable under normal conditions.

**Possibility of Hazardous** 

Reactions:

Hazardous polymerization does not occur.

Conditions to Avoid: Heat, sparks, flames. Sunlight.



Revision Date: 12-10-2014

**Incompatible Materials:** Strong oxidizing agents. Acids.

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition may release oxides of carbon.

# 11. Toxicological information

# Information on likely routes of exposure

**Ingestion:** Harmful if swallowed.

**Inhalation:** May cause irritation to the respiratory system. May cause drowsiness or

dizziness.

**Skin Contact:** Causes mild skin irritation.

**Eye contact:** Causes serious eye irritation.

# Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral

**Product:** LD 50 (Rat): 1,870 mg/kg

**Dermal** 

**Product:** No data available.

Inhalation

**Product:** No data available.

**Repeated Dose Toxicity** 

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** Causes mild skin irritation.

# Serious Eye Damage/Eye Irritation

**Product:** Causes serious eye irritation.

#### Respiratory or Skin Sensitization

**Product:** Not a skin sensitizer.

Carcinogenicity

**Product:** This substance has no evidence of carcinogenic properties.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

# **US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

# **Germ Cell Mutagenicity**

In vitro

**Product:** No mutagenic components identified

In vivo

**Product:** No mutagenic components identified

**Reproductive Toxicity** 

**Product:** No components toxic to reproduction



Revision Date: 12-10-2014

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Inhalation - vapor: Narcotic effect. Respiratory tract irritation.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** May be harmful if swallowed and enters airways.

Other Effects: None known.

# 12. Ecological information

# **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

PROPYL ALCOHOL LC 50 (Bleak (Alburnus alburnus), 96 h): 3,000 - 4,000 mg/l Mortality

LC 50 (Fathead minnow (Pimephales promelas), 96 h): 4,100 - 4,880 mg/l

Mortality

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

PROPYL ALCOHOL EC 50 (Water flea (Daphnia magna), 48 h): 3,339 - 3,977 mg/l Intoxication

LC 50 (Scud (Gammarus pulex), 48 h): 1,000 mg/l Mortality LC 50 (Leech (Erpobdella octoculata), 48 h): 1,400 mg/l Mortality LC 50 (Water flea (Daphnia magna), 48 h): 6,300 mg/l Mortality

LC 50 (Great pond snail (Lymnaea stagnalis), 48 h): 6,500 mg/l Mortality

# Chronic hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

#### Persistence and Degradability

Biodegradation

**Product:** There are no data on the degradability of this product.

**BOD/COD Ratio** 

**Product:** No data available.

# **Bioaccumulative Potential**

**Bioconcentration Factor (BCF)** 

**Product:** No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

**Product:** Log Kow: 0.25



Revision Date: 12-10-2014

**Mobility in Soil:** The product is water soluble and may spread in water systems.

Other Adverse Effects: The product components are not classified as environmentally hazardous.

However, this does not exclude the possibility that large or frequent spills

can have a harmful or damaging effect on the environment.

# 13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

# 14. Transport information

DOT

UN Number: UN 1274
UN Proper Shipping Name: n-Propanol

Transport Hazard Class(es)

Class(es): 3
Label(s): 3
Packing Group: III
Marine Pollutant: No

**IMDG** 

UN Number: UN 1274
UN Proper Shipping Name: n-PROPANOL

Transport Hazard Class(es)

Class(es): 3 Label(s): 3

EmS No.: F-E, S-D

Packing Group: III
Marine Pollutant: No

IATA

UN Number: UN 1274
Proper Shipping Name: n-Propanol

Transport Hazard Class(es):

Class(es): 3
Label(s): 3
Marine Pollutant: No
Packing Group: III

# 15. Regulatory information

#### **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):** 

PROPYL ALCOHOL Reportable quantity: 100 lbs.



Revision Date: 12-10-2014

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

# **Hazard categories** Acute (Immediate) Chronic (Delayed) Fire Pressure Generating Reactive **SARA 302 Extremely Hazardous Substance** None present or none present in regulated quantities. **SARA 304 Emergency Release Notification Chemical Identity** PROPYL ALCOHOL 100 lbs. SARA 311/312 Hazardous Chemical **Chemical Identity Threshold Planning Quantity** PROPYL ALCOHOL 500 lbs SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

# **US State Regulations**

#### **US. California Proposition 65**

No ingredient regulated by CA Prop 65 present.

#### US. New Jersey Worker and Community Right-to-Know Act

PROPYL ALCOHOL Listed

#### **US. Massachusetts RTK - Substance List**

PROPYL ALCOHOL Listed

#### US. Pennsylvania RTK - Hazardous Substances

PROPYL ALCOHOL Listed

#### **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.



Revision Date: 12-10-2014

#### **Inventory Status:**

Australia AICS: Canada DSL Inventory List:

Canada DSL Inventory List: EU EINECS List:

EU ELINCS List: Japan (ENCS) List:

EU No Longer Polymers List:

China Inv. Existing Chemical Substances: Korea Existing Chemicals Inv. (KECI):

Canada NDSL Inventory: Philippines PICCS: US TSCA Inventory:

New Zealand Inventory of Chemicals:

Japan ISHL Listing:


Japan Pharmacopoeia Listing:

On or in compliance with the inventory On or in compliance with the inventory On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory

Not in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

#### **NFPA Hazard ID**



Hazard rating: 0 - Minimal: 1 - Slight: 2 - Moderate: 3 - Serious: 4 - Severe

**Issue Date:** 12-10-2014

**Revision Date:** No data available.

Version #: 1.1

Further Information: No data available.



Disclaimer:

Version: 1.1

Revision Date: 12-10-2014

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE. OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.