

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 06/16/2017

Version 1.2

### SISECTION 1.Identification

**Product identifier** 

Product number 100567

Product name Lugol's solution stabilized with PVP for the Gram staining

Relevant identified uses of the substance or mixture and uses advised against

Identified uses In vitro diagnostic reagent, Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

#### **SECTION 2. Hazards identification**

### **GHS-Labeling**

Not a dangerous substance according to GHS.

## Other hazards

None known.

### SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution of inorganic and organic compounds.

### Hazardous ingredients

Chemical name (Concentration)

CAS-No.

homopolymer from 1-vinyl-2-pyrrolidone, complex with iodine (>= 1 % - < 5 %)

25655-41-8

Exact percentages are being withheld as a trade secret.

## **SECTION 4. First aid measures**

Description of first-aid measures

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100567 Version 1.2

Product name Lugol's solution stabilized with PVP for the Gram staining

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/

shower.

Eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

irritant effects

### Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5. Fire-fighting measures**

### Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

### Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

# SECTION 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

## **Environmental precautions**

Do not let product enter drains.

### Methods and materials for containment and cleaning up

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100567 Version 1.2

Product name Lugol's solution stabilized with PVP for the Gram staining

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H<sup>+</sup>, Art. No. 101595).

Dispose of properly. Clean up affected area.

# SECTION 7. Handling and storage

### Precautions for safe handling

Observe label precautions.

### Conditions for safe storage, including any incompatibilities

Tightly closed.

Store at +15°C to +25°C (+59°F to +77°F).

### SECTION 8. Exposure controls/personal protection

### Exposure limit(s)

Contains no substances with occupational exposure limit values.

### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

#### Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

## Eye/face protection

Safety glasses

## Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Preak through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100567 Version 1.2

Product name Lugol's solution stabilized with PVP for the Gram staining

Respiratory protection

Not required; except in case of aerosol formation.

### SECTION 9. Physical and chemical properties

Physical state liquid

Color brown

Odor odorless

Odor Threshold Not applicable

pH 2.0

at 68 - 72 °F (20 - 22 °C)

Melting point No information available.

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapor pressure No information available.

Relative vapor density No information available.

Density 1.02 g/cm<sup>3</sup>

at 68 °F (20 °C)

Relative density No information available.

Water solubility soluble

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100567 Version 1.2

Product name Lugol's solution stabilized with PVP for the Gram staining

Explosive properties Not classified as explosive.

Oxidizing properties none

## SECTION 10. Stability and reactivity

## Reactivity

See below

#### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

Stabilizer

homopolymer from 1-vinyl-2-pyrrolidone, complex with iodine

### Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water., Reducing agents, Metals

#### Conditions to avoid

no information available

# Incompatible materials

no information available

## Hazardous decomposition products

no information available

## **SECTION 11. Toxicological information**

## Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact

Skin irritation

Possible damages: slight irritation

Eye irritation

Possible damages: slight irritation

Sensitization

Sensitization possible in predisposed persons.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

### Carcinogenicity

IARC No ingredient of this product present at levels greater than or

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	100567	Version 1.2
Product name	Lugol's solution stabilized with PVP for the Gram staining	
	equal to 0.1% is identified as probable, possible or confirmed	
	human carcinogen by IARC.	
OSHA	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by OSHA.	
NTP	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a known or anticipated carcinogen	
	by NTP.	
ACGIH	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by ACGIH.	

### **Further information**

However, when the product is handled appropriately, hazardous effects are unlikely to occur. Handle in accordance with good industrial hygiene and safety practice.

## Ingredients

homopolymer from 1-vinyl-2-pyrrolidone, complex with iodine

Acute dermal toxicity

LD50 Dermal Rat: > 2,500 mg/kg (External MSDS)

Skin irritation

Rabbit

Result: Irritating to skin. OECD Test Guideline 404

(External MSDS)

Eye irritation Rabbit

Result: Eye irritation OECD Test Guideline 405

(External MSDS)

Causes serious eye damage.

# **SECTION 12. Ecological information**

### **Ecotoxicity**

No information available.

## Persistence and degradability

No information available.

## Bioaccumulative potential

No information available.

### Mobility in soil

No information available.

### Ingredients

homopolymer from 1-vinyl-2-pyrrolidone, complex with iodine

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100567 Version 1.2

Product name Lugol's solution stabilized with PVP for the Gram staining

Toxicity to fish static test LC50 Leuciscus idus (Golden orfe): 4.6 - 10 mg/l; 96 h DIN 38412 (External MSDS)

Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): 2.79 mg/l; 48 h OECD Test Guideline 202 (External MSDS)

Toxicity to algae

static test EC50 Desmodesmus subspicatus (green algae): 4.91 mg/l; 72 h

OECD Test Guideline 201 (External MSDS)

Toxicity to bacteria

EC50 Pseudomonas putida: 380 mg/l; 17 h

DIN 38412 (External MSDS)

EC10 Pseudomonas putida: 270 mg/l; 17 h

DIN 38412 (External MSDS)

Biodegradability
< 20 %
(External MSDS)
Not readily eliminated from water.

Partition coefficient: n-octanol/water log Pow: 0.81

#### **SECTION 13. Disposal considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

### **SECTION 14. Transport information**

### Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

#### Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

### Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

### **SECTION 15. Regulatory information**

## **United States of America**

### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100567 Version 1.2

Product name Lugol's solution stabilized with PVP for the Gram staining

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

#### **DEA List I**

Not listed

### **DEA List II**

Not listed

### **US State Regulations**

### Massachusetts Right To Know

Remarks

No components are subject to the Massachusetts Right to Know Act.

### California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### **Notification status**

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

### **SECTION 16. Other information**

### Training advice

Provide adequate information, instruction and training for operators.

### Labeling

Hazard Statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention

P273 Avoid release to the environment.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100567 Version 1.2

Product name Lugol's solution stabilized with PVP for the Gram staining

### Revision Date06/16/2017

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.