

# SAFETY DATA SHEET

Creation Date 15-Sep-2009

Revision Date 14-Feb-2020

**Revision Number** 2

1. Identification

**Product Name** 

4-Bromo-1-butene

Cat No. :

A10977

CAS-No Synonyms 5162-44-7 No information available

Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use.Details of the supplier of the safety data sheet

<u>Company</u>

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com www.alfa.com

### **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

### 2. Hazard(s) identification

**Classification** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Serious Eye Damage/Eye Irritation Respiratory Sensitization Skin Sensitization Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 2 Category 2 Category 1 Category 1 Category 3

Label Elements

Signal Word Danger

### **Hazard Statements**

Highly flammable liquid and vapor May cause an allergic skin reaction Causes serious eye irritation May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause respiratory irritation



## Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Keep cool

### Inhalation

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### Disposal

Dispose of contents/container to an approved waste disposal plant **Hazards not otherwise classified (HNOC)** 

None identified

### 3. Composition/Information on Ingredients

Component	CAS-No	Weight %		
1-Butene, 4-bromo-	5162-44-7	>95		

### 4. First-aid measures

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention.
Inhalation	Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.
Ingestion	Do NOT induce vomiting. Get medical attention.
Most important symptoms and effects	Difficulty in breathing. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Notes to Physician	Treat symptomatically
	E. Fire fighting manageree

5. Fire-fighting measures

Suitable Extinguishing Media	Carbon dioxide (CO 2). Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Chemical foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	1 °C / 33.8 °F
Method -	No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	ct No information available
Sensitivity to Static Discharge	No information available

### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen halides.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions		recautionary measures agains	uipment as required. Remove all t static discharges.
Methods for Containment and Up		, closed containers for disposa	el, acid binder, universal binder, al. Remove all sources of ignition. o not let this chemical enter the
	7. Handling	and storage	

Handling Storage	Ensure adequate ventilation. Wear personal protective equipment/face protection. Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from heat/sparks/open flames/hot surfaces No smoking. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. Keep away from open flames, hot surfaces and sources of ignition. Refrigerator/flammables. Keep container tightly closed. Keep away from heat, sparks and flame.
8. E	xposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

	· · · · ·
Physical State	Liquid
Appearance	Light brown
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	No data available
Boiling Point/Range	98 - 100 °C / 208.4 - 212 °F @ 760 mmHg
Flash Point	1 °C / 33.8 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	No information available
Specific Gravity	1.330
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C4 H7 Br

### **Molecular Weight**

Molecular Weight	olecular Weight 135					
	10. Stability and reactivity					
Reactive Hazard	None known, based on information available					
Stability	Light sensitive.					
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Exposure to light. Incompatible products.					
Incompatible Materials	Strong bases, Oxidizing agent					
Hazardous Decomposition Product	ts Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Hydrogen halides					
Hazardous Polymerization	Hazardous polymerization does not occur.					
Hazardous Reactions	None under normal processing.					
Incompatible Materials       Strong bases, Oxidizing agent         Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Hydrogen halides         Hazardous Polymerization       Hazardous polymerization does not occur.         Hazardous Reactions       None under normal processing.         Incompatible Toxicity       Incompatible products         Product Information Component Information Toxicologically Synergistic       No acute toxicity information available						
Acute Toxicity						
	No acute toxicity information is available for this product					
Toxicologically Synergistic	No information available					
Products Delayed and immediate effects as well as chronic effects from short and long-term exposure						
Irritation	Irritating to eyes Irritating to respiratory system					
Sensitization	May cause sensitization by skin contact					
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.					

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico			
1-Butene, 4-bromo-	5162-44-7	Not listed	Not listed	Not listed	Not listed	Not listed			
Mutagenic Effects		No information available							
Reproductive Effects No information available.									
Developmental Effe	cts	No information ava	ailable.						
Teratogenicity		No information ava	ailable.						
STOT - single expos STOT - repeated exp		Respiratory system None known	Respiratory system None known						
Aspiration hazard		No information available							
Symptoms / effects delayed	both acute and,	<b>d</b> Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, ches pain, muscle pain or flushing							
Endocrine Disruptor	r Information	No information available							
Other Adverse Effect	ts	The toxicological p	properties have not	been fully investig	gated.				
		12. Ecol	ogical infor	mation					

Ecotoxicity Do not empty into drains.	
Persistence and Degradability	No information available
<b>Bioaccumulation/ Accumulation</b>	No information available.
Mobility	No information available.
	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is cla

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT	
UN-No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s.
Technical Name	1-Butene, 4-bromo-
Hazard Class	3
Packing Group	II
TDG	
UN-No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s.
Hazard Class	3
Packing Group	II
ΙΑΤΑ	
UN-No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s.
Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s.
Hazard Class	3
Packing Group	II
<b>~</b> ·	15 Pogulator

15. Regulatory information

### United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
1-Butene, 4-bromo-	5162-44-7	Х	ACTIVE	-

#### Legend:

**TSCA** - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
1-Butene, 4-bromo-	5162-44-7	Х	-	225-937-4	-	-	-	-	-

### U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable
<b>U.S. Department of Transportation</b> Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	No information available

16. Other informat
--------------------

 Prepared By
 Health, Safety and Environmental Department

 Email: tech@alfa.com
 Email: tech@alfa.com

 Www.alfa.com
 www.alfa.com

 Creation Date
 15-Sep-2009

 Revision Date
 14-Feb-2020

 Print Date
 14-Feb-2020

 Revision Summary
 SDS authoring systems update, replaces ChemGes SDS No. 5162-44-7.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**