

SAFETY DATA SHEET

Creation Date 24-Apr-2009 Revision Date 28-Dec-2021 Revision Number 9

1. Identification

Product Name Ethanol, 200 proof

Cat No.: AC615090000; AC615090010; AC615090020; AC615090040;

AC615091000; AC615095000; NC0549167; XXAC61509ET4LI; NC

61509-K7; C61509-K7

CAS No 64-17-5

Synonyms Ethyl alcohol; Absolute ethanol

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 2
Serious Eye Damage/Eye Irritation Category 2

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor Causes serious eye irritation





Precautionary Statements

Prevention

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %	
Ethyl alcohol	64-17-5	99-100	

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Revision Date 28-Dec-2021 Ethanol, 200 proof

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

nausea and vomiting. **Notes to Physician** Treat symptomatically

5. Fire-fighting measures

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire

12 °C / 53.6 °F **Flash Point**

Method -No information available

363 °C / 685.4 °F **Autoignition Temperature**

Explosion Limits

Upper 19 vol % Lower 3.3 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Physical hazards Health **Flammability** Instability N/A 2 3

Accidental release measures

Use personal protective equipment as required. Ensure adequate ventilation, Remove all **Personal Precautions**

sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions Should not be released into the environment. Do not flush into surface water or sanitary

sewer system.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Up

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Revision Date 28-Dec-2021 Ethanol, 200 proof

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Flammables area, Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides.

8. Exposure controls / personal protection

Exposure Guidelines

L	Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Γ	Ethyl alcohol STEL: 1000 ppm		(Vacated) TWA: 1000 ppm	IDLH: 3300 ppm	STEL: 1000 ppm
1			(Vacated) TWA: 1900 mg/m ³	TWA: 1000 ppm	
1			TWA: 1000 ppm	TWA: 1900 mg/m ³	
			TWA: 1900 mg/m ³	_	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Ensure adequate ventilation, especially in confined areas. Use explosion-proof **Engineering Measures**

electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye/face Protection**

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Wear appropriate protective gloves and clothing to prevent skin exposure. Skin and body protection

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid

Appearance Clear, Colorless

Odor Alcohol

Odor Threshold No information available

7 @ 20°C 10g/l ag.sol Ha **Melting Point/Range** -114 °C / -173.2 °F 78 °C / 172.4 °F

Boiling Point/Range Flash Point 12 °C / 53.6 °F No information available **Evaporation Rate**

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper 19 vol % Lower 3.3 vol %

Vapor Pressure No information available **Vapor Density** No information available **Specific Gravity** 0.785 g/cm3 @20°C

Solubility miscible

Partition coefficient; n-octanol/water No data available 363 °C / 685.4 °F **Autoignition Temperature Decomposition Temperature** No information available

Viscosity No information available

Molecular FormulaC2 H6 OMolecular Weight46.07

VOC Content(%) 100% (Organic Carbon (by mass) = 52.1 %) (EC/1999/13)

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Hygroscopic.

Conditions to Avoid Incompatible products. Heat, flames and sparks. Keep away from open flames, hot

surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

L	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol LD50 = 10470 mg/kg		Not listed	LC50 = 117-125 mg/l (4h)	
١		OCED 401 (Rat)		OECD 403 (rat)
١		3450 mg/kg (Mouse)		20000 ppm/10H (rat)

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico			
Ethyl alcohol	64-17-5	Not listed	Known	A3	Not listed	A3			
IARC (Internation	al Agency for Resea	rch on Cancer)	IARC (Inter	national Agency for I	Research on Cancer)				
				Carcinogenic to Huma					
				Probably Carcinoge					
				Possibly Carcinoger					
NTP: (National To	xicity Program)		,	onal Toxicity Progran	1)				
				nown Carcinogen					
					onably Anticipated to	be a Human			
			Carcinogen						
•	n Conference of Go	vernmental Industri		n Human Carcinogen					
Hygienists)				cted Human Carcino	gen				
				l Carcinogen					
				ACGIH: (American Conference of Governmental Industrial Hygienists)					
OSHA: (Occupation	OSHA: (Occupational Safety & Health Administration)			OSHA: (Occupational Safety & Health Administration)					
			X - Present						
Mexico - Occupational Exposure Limits - Carcinogens				Mexico - Occupational Exposure Limits - Carcinogens					
				A1 - Confirmed Human Carcinogen					
				cted Human Carcino					
				med Animal Carcinog	,				
			A4 - Not Cla	A4 - Not Classifiable as a Human Carcinogen					

A5 - Not Suspected as a Human Carcinogen

No information available **Mutagenic Effects**

Reproductive Effects No information available. **Developmental Effects** No information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	Ethyl alcohol		Photobacterium	EC50 = 9268 mg/L/48h
	(Chlorella vulgaris)	(Pimephales promelas)	phosphoreum:EC50 = 34634	EC50 = 10800 mg/L/24h
	-	LC50 = 14200 mg/l/96h	mg/L/30 min	-
		_	Photobacterium	
			phosphoreum:EC50 = 35470	
			mg/L/5 min	

Persistence and Degradability Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Will likely be mobile in the environment due to its volatility. **Mobility**

Component	log Pow
Ethyl alcohol	-0.32

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1170 **Proper Shipping Name ETHANOL**

Hazard Class 3 **Packing Group** Ш

TDG

UN-No UN1170 **Proper Shipping Name ETHANOL**

Hazard Class 3 **Packing Group** Ш

IATA

UN1170 **UN-No**

Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN1170
Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group ||

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Ethyl alcohol	64-17-5	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethyl alcohol	64-17-5	X	-	200-578-6	X	X	X	X	X	KE-13217

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a

considered a Proposition 65 developmental hazard when it is ingested as an alcoholic

beverage.

Comp	onent	CAS No	California Prop. 65	Prop 65 NSRL	Category
Ethyl a	lcohol	64-17-5	Development (alcoholic	-	Developmental
			beverages only)		Carcinogen
			Carcinogen		

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island

Ethyl alcohol X X X X X X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Ethyl alcohol

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous
					Substances (RoHS)
Ethyl alcohol	64-17-5	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Qualifying Quantities		` ,	(1.10201.0000.110010)
		for Major Accident	for Safety Report		
		Notification	Requirements		

16. Other information

Prepared By Regulatory Affairs

64-17-5

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Not applicable

 Creation Date
 24-Apr-2009

 Revision Date
 28-Dec-2021

 Print Date
 28-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). SDS sections

Not applicable

Not applicable

Annex I - Y42

updated. 2.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS