

# SAFETY DATA SHEET

Creation Date 24-Nov-2010

Revision Date 24-Jan-2018

**Revision Number** 3

1. Identification

**Product Name** 

# Lithium hydroxide monohydrate

Cat No. :

AC413320000, AC413320025, AC413321000, AC413325000

CAS-No Synonyms 1310-66-3 No information available

Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use.Details of the supplier of the safety data sheet

<u>Company</u> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

#### **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicityCategory 4Skin Corrosion/IrritationCategory 1 BSerious Eye Damage/Eye IrritationCategory 1Specific target organ toxicity (single exposure)Category 3Target Organs - Respiratory system, Central nervous system (CNS).Specific target organ toxicity - (repeated exposure)Category 2Target Organs - Kidney.

#### Label Elements

Signal Word Danger

**Hazard Statements** 

Harmful if swallowed

Causes severe skin burns and eye damage

May cause respiratory irritation

May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Rinse mouth Do NOT induce vomiting Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) None identified

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Lithium hydroxide monohydrate	1310-66-3	<95
Lithium hydroxide	1310-65-2	-

4. First-aid measures				
Eye Contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.			
Skin Contact	Immediate medical attention is required. Wash off immediately with plenty of water for at least 15 minutes.			
Inhalation	Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.			

Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Most important symptoms and effects	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perfection.
Notes to Physician	and danger of perforation Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	Not applicable
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	
Sensitivity to Static Discharge	No information available

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

None known.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA

Health 3	<b>Flammability</b> 0	Instability 1	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	personnel to safe areas. K formation. Do not get in ey	eep people away from and up ves, on skin, or on clothing.	adequate ventilation. Evacuate wind of spill/leak. Avoid dust
Environmental Precautions			antainara far dianagal. Kaon
Up	nd Clean Avoid dust formation. Swe container tightly closed in a	a dry and well-ventilated place	
	7. Handling	and storage	
Handling		equipment/face protection. Use a, or on clothing. Avoid dust for	e only under a chemical fume hood. mation. Do not breathe dust.
Storage	label for specific storage te	emperature requirement. Keep Keep under nitrogen. Keep c	uct specification and/or product container tightly closed. Protect containers tightly closed in a dry,

# 8. Exposure controls / personal protection

Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physica	I and chemical properties
Physical State	Powder Solid
Appearance	Off-white
Odor	Odorless
Odor Threshold	No information available
рН	12
Melting Point/Range	462 °C / 863.6 °F
Boiling Point/Range	920 °C / 1688 °F
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	1.51
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	Not applicable
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	H Li O . H2 O
Molecular Weight	41.95

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Hygroscopic. Air sensitive. Light sensitive.	
Conditions to Avoid	Heat, flames and sparks. Exposure to air. Incompatible products. Exposure to moist air or water.	
Incompatible Materials	Strong oxidizing agents, Strong acids, Metals, Carbon dioxide (CO2)	
Hazardous Decomposition Products None under normal use conditions		

Hazardous Decomposition Products None under normal use conditions

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

**Hazardous Reactions** 

None under normal processing.

# 11. Toxicological information

Acute Toxicity

#### Product Information Component Information

component information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Lithium hydroxide monohydrate	368 mg/kg (Rat)	Not listed	LC50 = 0.96 mg/L (Rat)4 h
Lithium hydroxide	330 mg/kg(Rat)	Not listed	LC50 = 960 mg/m <sup>3</sup> (Rat) 4 h
Toxicologically Synergistic	No information available		

#### Products

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Causes burns by all exposure routes

#### Sensitization No information available

### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Lithium hydroxide monohydrate	1310-66-3	Not listed	Not listed	Not listed	Not listed	Not listed
Lithium hydroxide	1310-65-2	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information av	ailable			
Reproductive Effect	S	No information av	ailable.			
Developmental Effect	cts	No information av	ailable.			
Teratogenicity		No information av	ailable.			
STOT - single expos STOT - repeated exp		Respiratory system Central nervous system (CNS) Kidney				
Aspiration hazard		No information av	ailable			
Symptoms / effects delayed	both acute and,	Ind Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation			estion causes	
Endocrine Disruptor	· Information	No information av	ailable			
Other Adverse Effec	ts	The toxicological	properties have no	been fully investig	gated.	
		12. Ecol	ogical infor	mation		
Ecotoxicity						

Do not empty into drains. .

Persistence and Degradability	Soluble in water Persistence is unlikely based on information available.
<b>Bioaccumulation/ Accumulation</b>	No information available.
Mobility	Will likely be mobile in the environment due to its water solubility.

### Waste Disposal Methods

# 13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN2680
Proper Shipping Name	LITHIUM HYDROXIDE
Hazard Class	8
Packing Group	II
TDG	
UN-No	UN2680
Hazard Class	8
Packing Group	II
IATA	
UN-No	UN2680
Proper Shipping Name	LITHIUM HYDROXIDE
Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN2680
Proper Shipping Name	
Hazard Class	8
Packing Group	
	15. Regulatory information

#### United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags	
Lithium hydroxide monohydrate	1310-66-3	-	-	-	
Lithium hydroxide	1310-65-2	Х	ACTIVE	-	

#### Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Lithium hydroxide monohydrate	1310-66-3	-	-	-	Х	Х	Х	Х	-
Lithium hydroxide	1310-65-2	Х	-	215-183-4	Х	Х	Х	Х	KE-22570

#### U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable

<b>OSHA</b> - Occupational Safe Health Administration	ety and	Not app	licable			
CERCLA		Not applicable				
California Proposition 65	5	This product does not contain any Proposition 65 chemicals.				
U.S. State Right-to-Know Regulations	ı					
Component	Massachu	isetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Lithium hydroxide	-		Х	-	-	-
monohydrate						
U.S. Department of Trans						
Reportable Quantity (RQ):		N				
DOT Marine Pollutant	ant	N N				
DOT Severe Marine Pollut	lanı	IN				
U.S. Department of Home Security	of Homeland This product does not contain any DHS chemicals.					
Other International Regu	lations					
Mexico - Grade		No infor	mation available			

	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	24-Nov-2010
Revision Date	24-Jan-2018
Print Date	24-Jan-2018
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of SDS