

# SAFETY DATA SHEET

Version 6.1 Revision Date 01/20/2020 Print Date 08/29/2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Wright Stain solution

Product Number : 32857 Brand : Sigma

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

# 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### SECTION 2: Hazards identification

# 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Eye irritation (Category 2A), H319

Skin sensitisation (Category 1), H317

Specific target organ toxicity - single exposure (Category 1), Eyes, H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Sigma - 32857 Page 1 of 11



Hazard statement(s) H225 H301 + H311 + H331 H317 H319 H370	Highly flammable liquid and vapour. Toxic if swallowed, in contact with skin or if inhaled. May cause an allergic skin reaction. Causes serious eye irritation. Causes damage to organs (Eyes).
Precautionary statement(s) P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 P240 P241 P242 P243 P260 P264	Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling.
P270 P271 P272	Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace.
P280 P301 + P310 + P330	Wear protective gloves/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P307 + P311 P333 + P313 P337 + P313 P362 P370 + P378 P403 + P233 P403 + P235 P405 P501	IF exposed: Call a POISON CENTER or doctor/ physician. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.  Store locked up.  Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

Synonyms : Eosin Methylene blue solution according to Wright

Wright's eosin methylene blue



Methanol			
CAS-No. EC-No. Index-No. Registration number	67-56-1 200-659-6 603-001-00-X 01-2119433307-44- XXXX	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370	>= 70 - < 90 %
Disodium 2-(2,4,5,7-tetrabromo-6-oxido-3-oxoxanthen-9-yl)benzoate			
CAS-No. EC-No.	17372-87-1 241-409-6	Eye Irrit. 2A; Skin Sens. 1; Aquatic Acute 3; H319, H317, H402	>= 10 - < 20 %
Methylthioninium chloride			
CAS-No. EC-No.	61-73-4 200-515-2	Acute Tox. 4; H302	>= 10 - < 20 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

Millipore

Sigma - 32857 Page 3 of 11

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Dry powder Dry sand

# Unsuitable extinguishing media

Do NOT use water jet.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, Hydrogen chloride gas, Hydrogen bromide gas, Sodium oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): 3: Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Millipore

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

**Components with workplace control parameters** 

Components wit	n workpiac	<u>e controi pa</u>	rameters			
Component	CAS-No.	Value	Control	Basis		
			parameters			
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit		
				Values (TLV)		
	Remarks	Headache	-			
		Nausea				
		Dizziness				
		Eye damage				
				e is a Biological Exposure Index		
		or Indices (see BEI® section)				
		Danger of				
		STEL	250 ppm	USA. ACGIH Threshold Limit		
				Values (TLV)		
		Headache	(121)			
		Nausea				
		Dizziness				
		Eye damage Substances for which there is a Biological Exposure				
		or Indices				
			cutaneous absor			
		TWA	200 ppm	USA. NIOSH Recommended		
			260 mg/m3	Exposure Limits		
		Potential fo				
		ST	250 ppm	USA. NIOSH Recommended		
			325 mg/m3	Exposure Limits		
		Potential fo	or dermal absorp			
		TWA	200 ppm	USA. Occupational Exposure		
		1 ***	260 mg/m3	Limits (OSHA) - Table Z-1		
			200 1119,1110	Limits for Air Contaminants		
		The value i	n mg/m3 is app			
		C	1,000 ppm	California permissible exposure		
			1,000 ppiii	limits for chemical		
				contaminants (Title 8, Article		
				107)		
				1 20,7		
		Skin	l	1		
		PEL	200 ppm	California permissible exposure		
		'	260 mg/m3	limits for chemical		
			200 1119/1113	contaminants (Title 8, Article		
				107)		
		Skin	Skin			
		STEL	250 ppm	California permissible exposure		
			325 mg/m3	limits for chemical		
				contaminants (Title 8, Article		
				107)		
		Skin	1	1		
	1					

Sigma - 32857 Page 5 of 11



**Biological occupational exposure limits** 

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	67-56-1	Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			

# 8.2 Exposure controls

# **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

# **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and

Sigma - 32857 Page 6 of 11

components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid Colour: dark blue b) Odour No data available c) Odour Threshold No data available d) pH No data available No data available e) Melting point/freezing point Initial boiling point No data available f) and boiling range g) Flash point 11 °C (52 °F) h) Evaporation rate No data available Flammability (solid, No data available i) gas) j) Upper/lower No data available flammability or explosive limits k) Vapour pressure No data available Vapour density No data available I) m) Relative density 0.800 g/cm3 No data available n) Water solubility No data available o) Partition coefficient: n-octanol/water No data available p) Auto-ignition temperature q) Decomposition No data available temperature Viscosity No data available Explosive properties No data available Oxidizing properties No data available

### 9.2 Other safety information

No data available



Sigma - 32857 Page 7 of 11

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Acids, Bases, Oxidizing agents, Alkali metals, Strong oxidizing agents, Acid chlorides, Acid anhydrides, Reducing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, Hydrogen chloride gas, Hydrogen bromide gas, Sodium oxides

Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

No data available

Inhalation: No data available Dermal: No data available

No data available

#### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.



# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Dizziness, Gastrointestinal disturbance, Weakness, Confusion., Drowsiness, Unconsciousness, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Sigma - 32857

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

# **Contaminated packaging**

Dispose of as unused product.



Page 9 of 11

# **SECTION 14: Transport information**

DOT (US)

UN number: 1230 Class: 3 Packing group: II

Proper shipping name: MethanolSOLUTION

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D

Proper shipping name: METHANOLSOLUTION

**IATA** 

UN number: 1230 Class: 3 (6.1) Packing group: II

Proper shipping name: MethanolSOLUTION

# **SECTION 15: Regulatory information**

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

 CAS-No.
 Revision Date

 Methanol
 67-56-1
 2007-07-01

# SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

Methanol CAS-No. Revision Date 67-56-1 2007-07-01

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know Components** 

Methanol CAS-No. Revision Date 67-56-1 2007-07-01

Disodium 2-(2,4,5,7-tetrabromo-6-oxido-3- 17372-87-1

oxoxanthen-9-yl)benzoate

Methylthioninium chloride 61-73-4

Methanol CAS-No. Revision Date

Sigma - 32857 Page 10 of 11



	67-56-1	2007-07-01
Disodium 2-(2,4,5,7-tetrabromo-6-oxido-3-oxoxanthen-9-yl)benzoate	17372-87-1	
Methylthioninium chloride	61-73-4	
New Jersey Right To Know Components	CAC No	Davisian Data
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01
Disodium 2-(2,4,5,7-tetrabromo-6-oxido-3-oxoxanthen-9-yl)benzoate	17372-87-1	
Methylthioninium chloride	61-73-4	

### **SECTION 16: Other information**

#### **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.1 Revision Date: 01/20/2020 Print Date: 08/29/2020





Page 11 of 11

Sigma - 32857