

SAFETY DATA SHEET

Creation Date 11-Jun-2014

Revision Date 17-Jan-2018

Revision Number 4

1. Identification Product Name Ethylene Glycol Monomethyl Ether (Certified) Cat No. : E182-4; E182-20; E182-500 CAS-No 109-86-4 EGME; Ethylene glycol methyl ether; Methyl Cellosolve Recommended Use Uses advised against Laboratory chemicals. Not for food, drug, pesticide or biocidal product use Details of the supplier of the safety data sheet Not for food, drug, pesticide or biocidal product use

Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Reproductive Toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 1
Target Organs - Immune system.	
Specific target organ toxicity - (repeated exposure)	Category 2
Target Organs - Thymus.	

Label Elements

Signal Word Danger

Hazard Statements

Flammable liquid and vapor Harmful if swallowed Harmful in contact with skin Harmful if inhaled May damage fertility. May damage the unborn child Causes damage to organs May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Response IF exposed: Call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Skin Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal

Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
2-Methoxyethanol	109-86-4	> 98

4. First-aid measures

General Advice

If symptoms persist, call a physician.

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effects Notes to Physician	Breathing difficulties. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting Treat symptomatically

	5.	Fire-fi	ahtina	measures
--	----	---------	--------	----------

Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed containers exposed to fire with water spray.
Unsuitable Extinguishing Media	No information available
Flash Point	38 °C / 100.4 °F
Method -	No information available
Autoignition Temperature	285 °C / 545 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	19.8 vol % 1.8 vol % t No information available No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO₂) peroxides Methanol

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA_ Health 3	Flammability 2	Instability 1	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions		quipment. Ensure adequate ven ry measures against static disch	
Environmental Precautions	Should not be released int		larges.
Methods for Containment and Clea Up	Remove all sources of ign	ent material. Keep in suitable, clu ition. Take precautionary measu explosion-proof equipment.	

7. Handling and storage

HandlingWear personal protective equipment. Do not get in eyes, on skin, or on clothing. Ensure
adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot
surfaces and sources of ignition. Use only non-sparking tools. Use explosion-proof
equipment. Take precautionary measures against static discharges.StorageKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat
and sources of ignition. Flammables area.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
2-Methoxyethanol	TWA: 0.1 ppm	(Vacated) TWA: 25 ppm	IDLH: 200 ppm	TWA: 25 ppm
	Skin	(Vacated) TWA: 80 mg/m ³	TWA: 0.1 ppm	TWA: 80 mg/m ³
		Skin	TWA: 0.3 mg/m ³	STEL: 35 ppm
		TWA: 25 ppm	-	STEL: 120 mg/m ³
		TWA: 80 mg/m ³		_

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Long sleeved clothing.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Ph	ysical and chemical properties
Physical State	Liquid
Appearance	Clear
Odor	Ether
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-85 °C / -121 °F
Boiling Point/Range	124 °C / 255.2 °F @ 760 mmHg
Flash Point	38 °C / 100.4 °F
Evaporation Rate	0.53 (Butyl Acetate = 1.0)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	19.8 vol %
Lower	1.8 vol %
Vapor Pressure	9.5 mmHg @ 25 °C
Vapor Density	2.62 (Air = 1.0)

Specific Gravity
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
· ·
Viscosity
Molecular Formula
Molecular Weight
0
VOC Content(%)

.9600 miscible No data available 285 °C / 545 °F No information available No information available C3H8O2 76.09 98

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Light sensitive. Air sensitive. Reacts with air to form peroxides. heat sensitive.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. Excess heat. Exposure to light. Exposure to air over prolonged period.
Incompatible Materials	Strong oxidizing agents, Acids, Bases, Copper alloys, copper
Hazardous Decomposition Product	s Carbon monoxide (CO), Carbon dioxide (CO ₂), peroxides, Methanol
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing. May form explosive peroxides.

11. Toxicological information

Acute Toxicity

Product Information Component Information

Componen	t	LD50 Oral		D50 Dermal	LC50 I	nhalation
2-Methoxyetha	anol	LD50 = 2370 mg/kg(Ra	at) LD50 = 1	280 mg/kg (Rabbit)	LC50 = 1478	ppm (Rat)7h
oxicologically Syne Products	•	No information availa				
elayed and immed	iate effects	as well as chronic effect	ts from short an	<u>d long-term exposu</u>	re	
rritation		No information availa	able			
Sensitization		No information availa	able			
Carcinogenicity		The table below indi	icates whether ea	ich agency has listed	any ingredient a	is a carcinogen
Component	CAS-N	o IARC	NIT D	1000		
Component	CA3-N		NTP	ACGIH	OSHA	Mexico
2-Methoxyethanol	109-86-	4 Not listed	Not listed	Not listed	OSHA Not listed	Not listed
2-Methoxyethanol			Not listed			
2-Methoxyethanol Mutagenic Effects	109-86-	4 Not listed	Not listed able			
2-Methoxyethanol Mutagenic Effects Reproductive Effect	109-86- s	4 Not listed No information availa	Not listed able able.			
2-Methoxyethanol Mutagenic Effects Reproductive Effect Developmental Effect	109-86- s	4 Not listed No information availation No information availation No information availation No information availation	Not listed able able. able.		Not listed	
	109-86- s cts sure	4 Not listed No information availation No information availation No information availation No information availation	Not listed able able. able.	Not listed	Not listed	

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting delayed

Endocrine Disruptor Information No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2-Methoxyethanol	Not listed	LC50: > 500 mg/L, 96h static	Not listed	EC50: > 10000 mg/L, 24h
-		(Leuciscus idus)		(Daphnia magna)
		LC50: = 16000 mg/L, 96h		
		static (Oncorhynchus		
		mykiss)		
		LC50: = 10000 mg/L, 96h		
		static (Lepomis macrochirus)		
		LC50: = 9650 mg/L, 96h		
		static (Lepomis macrochirus)		
		, , , , , , , , , , , , , , , , , , , ,		
Persistence and Degradab	bility Soluble in w	ater Persistence is unlikely	based on information avai	lable. Miscible with water

Bioaccumulation/Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

Component	log Pow
2-Methoxyethanol	-0.85

13. Disposal considerations

```
Waste Disposal Methods
```

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	
UN-No	UN1188
Proper Shipping Name	ETHYLENE GLYCOL MONOMETHYL ETHER
Hazard Class	3
Packing Group	III
TDG	
UN-No	UN1188
Proper Shipping Name	ETHYLENE GLYCOL MONOMETHYL ETHER
Hazard Class	3
Packing Group	III
ΙΑΤΑ	
UN-No	UN1188
Proper Shipping Name	ETHYLENE GLYCOL MONOMETHYL ETHER
Hazard Class	3
Packing Group	III
IMDG/IMO	
UN-No	UN1188
Proper Shipping Name	ETHYLENE GLYCOL MONOMETHYL ETHER
Hazard Class	3
Packing Group	III
	15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
2-Methoxyethanol	Х	Х	-	203-713-7	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Component		TSCA 12(b)		
2-Methoxyethanol		Section 5		
SARA 313				
Component		-No	Weight %	SARA 313 - Threshold

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
2-Methoxyethanol	109-86-4	> 98	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not

Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
2-Methoxyethanol	Х		-

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

Not applicable

California Proposition 65

This product contains the following proposition 65 chemicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
2-Methoxvethanol	109-86-4	Developmental	-	Developmental
, , , , , , , , , , , , , , , , , , ,		Male Reproductive		

U.S. State Right-to-Know Regulations

Regulations					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
2-Methoxyethanol	X	Х	X	Х	X

U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade	Moderate risk, Grade 2

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	11-Jun-2014 17-Jan-2018 17-Jan-2018 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS