

SAFETY DATA SHEET

Version 6.0 Revision Date 08/06/2019 Print Date 08/08/2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

| Product name | : Chloroform |
|----------------|----------------|
| Product Number | : C2432 |
| Brand | : SIGALD |
| Index-No. | : 602-006-00-4 |
| CAS-No. | : 67-66-3 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

| Company | : Sigma-Aldrich Inc. 3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES |
|-----------|-----------------------------------------------------------------------------------|
| Telephone | : +1 314 771-5765 |
| Fax | : +1 800 325-5052 |

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351 Reproductive toxicity (Category 2), H361 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Specific target organ toxicity - repeated exposure (Category 1), Liver, Kidney, H372 Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

SIGALD - C2432

Page 1 of 10



| Pictogram | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Signal word | Danger |
| Hazard statement(s) H302 H315 H319 H331 H336 H351 H361 H372 | Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Toxic if inhaled. May cause drowsiness or dizziness. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure. |
| H402 | Harmful to aquatic life. |
| Precautionary statement(s) P201 P202 P260 P264 P270 P271 P273 P280 P301 + P312 + P330 P302 + P352 P304 + P340 + P311 | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable |
| P305 + P351 + P338 | for breathing. Call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308 + P313 P332 + P313 P337 + P313 P362 P403 + P233 P405 P501 | IF exposed or concerned: Get medical advice/ attention. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

| 3.1 | Substances Synonyms | : | Trichloromethane Methylidyne trichloride | |
|------|-------------------------------|---|---------------------------------------------|--------------|
| | Formula | : | CHCl ₃ | |
| SIGA | LD - C2432 | | | Page 2 of 10 |



| Molecular weight CAS-No. EC-No. Index-No. | : 119.38 g/mol : 67-66-3 : 200-663-8 : 602-006-00-4 | | |
|----------------------------------------------------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Component | | Classification | Concentration |
| Chloroform | | | |
| | | Acute Tox. 4; Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2A; Carc. 2; Repr. 2; STOT SE 3; STOT RE 1; Aquatic Acute 3; H302, H331, H315, H319, H351, H361d, H336, H372, H402 Concentration limits: 20 %: STOT SE 3, H336; | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures** No data available
- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

- 5.1 Extinguishing media No data available
- **5.2 Special hazards arising from the substance or mixture** Carbon oxides, Hydrogen chloride gas
- **5.3 Advice for firefighters** No data available
- **5.4 Further information** No data available

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** For personal protection see section 8.
- 6.2 Environmental precautions No data available

SIGALD - C2432

Page 3 of 10



- 6.3 Methods and materials for containment and cleaning up No data available
- **6.4 Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** For precautions see section 2.2.
- **7.2 Conditions for safe storage, including any incompatibilities** No data available
- **7.3 Specific end use(s)** Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------------------|
| Chloroform | 67-66-3 | TWA | 10 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | Remarks | Central Nervous System impairment Liver damage Embryo/fetal damage Confirmed animal carcinogen with unknown relevance to humans | | |
| | | ST | 2 ppm 9.78 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | Potential Occupational Carcinogen See Appendix A | | inogen |
| | | С | 50 ppm 240 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing-zone air samples. | | |
| | | PEL | 2 ppm 9.78 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

8.2 Exposure controls

Personal protective equipment

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact

SIGALD - C2432

Page 4 of 10



with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Control of environmental exposure

Prevent product from entering drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: liquid, clear Colour: colourless | |
|------------|----------------------------------------------------|----------------------------------------------------|--------------|
| b) | Odour | sweet | |
| c) | Odour Threshold | No data available | |
| d) | рН | No data available | |
| e) | Melting point/freezing point | Melting point/range: -63 °C (-81 °F) | |
| f) | Initial boiling point and boiling range | 60.5 - 61.5 °C 140.9 - 142.7 °F | |
| g) | Flash point | () - DIN 51755 Part 1does not flash | |
| h) | Evaporation rate | No data available | |
| i) | Flammability (solid, gas) | No data available | |
| j) | Upper/lower flammability or explosive limits | No data available | |
| k) | Vapour pressure | 210 hPa at 20 °C (68 °F) | |
| I) | Vapour density | 4.12 - (Air = 1.0) | |
| m) | Relative density | 1.492 g/mL at 25 °C (77 °F) | |
| n) | Water solubility | 8.7 g/l at 23 °C (73 °F) - OECD Test Guideline 105 | |
| SIGALD - C | 2432 | | Page 5 of 10 |



| o) | Partition coefficient: n-octanol/water | log Pow: 1.97 at 25 °C (77 °F) - (ECHA), Bioaccumulation is not expected. |
|----|-------------------------------------------|---------------------------------------------------------------------------|
| p) | Auto-ignition temperature | > 600 °C (> 1112 °F) at 1,013 hPa - DIN 51794 |
| q) | Decomposition temperature | Distillable in an undecomposed state at normal pressure. |
| r) | Viscosity | No data available |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | No data available |
| Ot | her safety informatio | on |
| | Solubility in other solvents | organic solvent at 20 °C (68 °F) - miscible |

Surface tension27.1 mN/m at 20.0 °C (68.0 °F)Relative vapour4.12 - (Air = 1.0)density

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No data available

- **10.2 Chemical stability** No data available Contains the following stabiliser(s): 2-Methyl-2-butene (>=0.001 - <=0.015 %)
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** No data available

10.5 Incompatible materials various plastics, RubberStrong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 908 mg/kg (OECD Test Guideline 401) Remarks: Behavioral:Change in motor activity (specific assay). Behavioral:Ataxia. Lungs, Thorax, or Respiration:Respiratory stimulation.

SIGALD - C2432

Page 6 of 10



LOEC Inhalation - Rat - male - 6 h - 500 ppm Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) LD50 Dermal - Rabbit - > 20,000 mg/kg Remarks: (RTECS) No data available

Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 24 h Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. Remarks: (ECHA)

Respiratory or skin sensitisation

Sensitisation test: - Guinea pig Result: negative (Maximisation Test) Remarks: (ECHA)

Germ cell mutagenicity

Ames test Salmonella typhimurium Result: negative reverse mutation assay Escherichia coli Result: negative (ECHA) OECD Test Guideline 474 Rat - male and female - Bone marrow Result: negative OECD Test Guideline 486 Rat - male - Other cell types Result: negative

Carcinogenicity

Suspected of causing cancer.

- IARC: 2B Group 2B: Possibly carcinogenic to humans (Chloroform)
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. - Liver, Kidney

Aspiration hazard

No data available

SIGALD - C2432

Page 7 of 10



RTECS: FS9100000

Vomiting, Cough, irritant effects, Shortness of breath, respiratory arrest, narcosis, Dizziness, Nausea, agitation, spasms, inebriation, Headache, Stomach/intestinal disorders, ataxia (impaired locomotor coordination), cardiovascular disorders Drying-out effect resulting in rough and chapped skin.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

| | Toxicity to fish | flow-through test LC50 - Danio rerio (zebra fish) - 121 mg/l - 48 h (OECD Test Guideline 203) |
|------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | static test LC50 - Pimephales promelas (fathead minnow) - 103 - 171 mg/l - 96 h Remarks: (ECHA) |
| | | flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 18.2 mg/l - 96 h Remarks: (ECHA) |
| | | flow-through test LC50 - Micropterus dolomieui - 51 mg/l - 96 h Remarks: (ECHA) |
| | Toxicity to daphnia and other aquatic invertebrates | static test EC50 - Daphnia magna (Water flea) - 79 mg/l - 48 h Remarks: (ECHA) |
| | Toxicity to algae | static test ErC50 - Chlamydomonas reinhardtii (green algae) - 13.3 mg/l - 72 h Remarks: (ECHA) |
| | | |
| 12.2 | Persistence and deg Biodegradability | radability aerobic - Exposure time 14 d Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301C) |
| | - | aerobic - Exposure time 14 d Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301C) |
| | Biodegradability Bioaccumulative pot | aerobic - Exposure time 14 d Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301C) tential Cyprinus carpio (Carp) - 42 d |
| | Biodegradability Bioaccumulative pot | aerobic - Exposure time 14 d Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301C) tential Cyprinus carpio (Carp) - 42 d at 25 °C - 0.1 mg/l(Chloroform) Bioconcentration factor (BCF): 4.1 - 13 |
| | Biodegradability Bioaccumulative pot | aerobic - Exposure time 14 d Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301C) tential Cyprinus carpio (Carp) - 42 d at 25 °C - 0.1 mg/I(Chloroform) Bioconcentration factor (BCF): 4.1 - 13 (OECD Test Guideline 305) Cyprinus carpio (Carp) - 42 d |



12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

| SECTION 14: Transport information | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|
| DOT (US) UN number: 1888 Class: 6.1 Proper shipping name: Chloroform Reportable Quantity (RQ): 10 lbs Reportable Quantity (RQ): 10 lbs Poison Inhalation Hazard: No | Packing group: III | |
| IMDG UN number: 1888 Class: 6.1 Proper shipping name: CHLOROFORM | Packing group: III | EMS-No: F-A, S-A |
| IATA UN number: 1888 Class: 6.1 Proper shipping name: Chloroform | Packing group: III | |
| SECTION 15: Regulatory information | | |
| SARA 302 Components | | |
| Chloroform | CAS-No. 67-66-3 | Revision Date 2008-11-03 |
| SARA 313 Components The following components are subject to Section 313: | reporting levels establishe | d by SARA Title III, |
| Chloroform | CAS-No. 67-66-3 | Revision Date 2008-11-03 |
| SARA 311/312 Hazards Acute Health Hazard, Chronic Health Haza | ard | |
| Reportable Quantity D022 lbs | | |
| Massachusetts Right To Know Compo No components are subject to the Massac | | t. |
| SIGALD - C2432 | | Page 9 of 10 |



CAS-No. 67-66-3

SECTION 16: Other information

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.0

Revision Date: 08/06/2019

Print Date: 08/08/2019

SIGALD - C2432

Page 10 of 10

