# SAFETY DATA SHEET

Version 5.14 Revision Date 04/11/2018 Print Date 05/15/2018

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 **Product identifiers** 

> Product name Sulfuric acid

**Product Number** 339741 Brand Aldrich Index-No. 016-020-00-8

CAS-No. 7664-93-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

> Company Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone +1 800-325-5832 +1 800-325-5052 Fax

1.4 **Emergency telephone number** 

> Emergency Phone # +1-703-527-3887 (CHEMTREC)

### 2. HAZARDS IDENTIFICATION

# Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P234 Keep only in original container. P264 Wash skin thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/ face P280

protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P301 + P330 + P331

IF ON SKIN (or hair): Take off immediately all contaminated clothing. P303 + P361 + P353

Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant

inliner.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Formula : H<sub>2</sub>O<sub>4</sub>S Molecular weight : 98.08 g/mol CAS-No. : 7664-93-9 EC-No. : 231-639-5 Index-No. : 016-020-00-8

Registration number : 01-2119458838-20-XXXX

**Hazardous components** 

Component	Classification	Concentration
Sulfuric acid		
	Met. Corr. 1; Skin Corr. 1A;	90 - 100 %
	Eye Dam. 1; H290, H314	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

Aldrich - 339741 Page 2 of 8

### **5. FIREFIGHTING MEASURES**

# 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

No data available

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

### **6. ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Sulfuric acid	7664-93-9	TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	1 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

### **Derived No Effect Level (DNEL)**

Application Area	Exposure routes	Health effect	Value
Workers	Inhalation	Acute local effects	0.1 mg/m3

Workers Inha	alation   Long-term local effects	0.05 mg/m3
--------------	-----------------------------------	------------

# **Predicted No Effect Concentration (PNEC)**

Compartment	Value
Marine water	0.00025 mg/l
Fresh water	0.0025 mg/l
Marine sediment	0.002 mg/kg
Fresh water sediment	0.002 mg/kg
Onsite sewage treatment plant	8.8 mg/l

# 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 30 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquidb) Odour No data availablec) Odour Threshold No data available

Aldrich - 339741 Page 4 of 8

d) pHe) Melting point/freezing3 °C (37 °F)

point

f) Initial boiling point and 290 °C (554 °F) - lit.

boiling range

g) Flash point Not applicable
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available
j) Upper/lower No data available

j) Upper/lower flammability or explosive limits

k) Vapour pressure 1.33 hPa (1.00 mmHg) at 145.8 °C (294.4 °F)

I) Vapour density 3.39 - (Air = 1.0)

m) Relative density 1.84 g/cm3 at 25 °C (77 °F)

n) Water solubility soluble

o) Partition coefficient: n-

octanol/water

No data available

p) Auto-ignition N

temperature

No data available

q) Decomposition

No data available

temperature

r) Viscosity No data available

s) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Surface tension 55.1 mN/m at 20 °C (68 °F)

Relative vapour density 3.39 - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

# 10.5 Incompatible materials

Bases, Halides, Organic materials, Carbides, fulminates, Nitrates, picrates, Cyanides, Chlorates, alkali halides, Zinc salts, permanganates, e.g. potassium permanganate, Hydrogen peroxide, Azides, Perchlorates., Nitromethane, phosphorous, Reacts violently with:, cyclopentadiene, cyclopentanone oxime, nitroaryl amines, hexalithium disilicide, phosphorous(III) oxide, Powdered metals

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides Other decomposition products - No data available

In the event of fire: see section 5

Aldrich - 339741 Page 5 of 8

### 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 2,140 mg/kg

LC50 Inhalation - Rat - 2 h - 510 mg/m3

Dermal: No data available

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Extremely corrosive and destructive to tissue.

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Corrosive to eyes

### Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

## Carcinogenicity

The International Agency for Research on Cancer (IARC) has determined that occupational exposure to strong-inorganicacid mists containing sulfuric acid is carcinogenic to humans (group 1).

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

#### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: WS5600000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Pulmonary edema. Effects may be delayed., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 29 mg/l - 24 h

Aldrich - 339741 Page 6 of 8

other aquatic invertebrates

# 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

#### 13. DISPOSAL CONSIDERATIONS

### 3.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1830 Class: 8 Packing group: II

Proper shipping name: Sulfuric acid Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

**IMDG** 

**IATA** 

UN number: 1830 Class: 8 Packing group: II

Proper shipping name: Sulphuric acid

# 15. REGULATORY INFORMATION

# **SARA 302 Components**

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date

Sulfuric acid 7664-93-9 2007-07-01

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Sulfuric acid CAS-No. Revision Date 7664-93-9 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components** 

Sulfuric acid CAS-No. Revision Date 7664-93-9 2007-07-01

Pennsylvania Right To Know Components

Sulfuric acid CAS-No. Revision Date 7664-93-9 2007-07-01

**New Jersey Right To Know Components** 

Aldrich - 339741 Page 7 of 8

CAS-No. Revision Date Sulfuric acid 7664-93-9 2007-07-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the CAS-No. Revision Date State of California to cause cancer. 7664-93-9 2007-09-28

Sulfuric acid

### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Eye Dam. Serious eye damage

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Met. Corr. Corrosive to metals

### **HMIS Rating**

Health hazard: 3
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

# **NFPA Rating**

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 0

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.14 Revision Date: 04/11/2018 Print Date: 05/15/2018

Aldrich - 339741 Page 8 of 8