

# **SAFETY DATA SHEET**

Revision Date 25-Apr-2019 Revision Number 3

## 1. Identification

Product Name Paraformaldehyde, 16% w/v aqueous solution

**Synonyms** No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute dermal toxicity Category 4 Category 4 Acute Inhalation Toxicity - Dusts and Mists Skin Corrosion/irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1 Skin Sensitization Category 1 Germ Cell Mutagenicity Category 2 Carcinogenicity Category 1A Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

### Label Elements

### **Signal Word**

Danger

#### **Hazard Statements**

Harmful in contact with skin
Causes severe skin burns and eye damage
May cause respiratory irritation
May cause an allergic skin reaction
Harmful if inhaled
Suspected of causing genetic defects
May cause cancer

\_\_\_\_\_



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %		
Water	7732-18-5	84-85		
Formaldehyde	50-00-0	15-16		

### 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Move to fresh

air. Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms and effects

Causes burns by all exposure routes. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing; Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Notes to Physician** Treat symptomatically

### 5. Fire-fighting measures

Carbon dioxide (CO<sub>2</sub>). Dry powder. Water spray. In case of major fire and large quantities: Suitable Extinguishing Media

Evacuate area. Fight fire remotely due to the risk of explosion.

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available **Sensitivity to Static Discharge** No information available

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO2) Formaldehyde

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

N	F	Р	Α	

Health	Flammability	Instability	Physical hazards
3	0	0	-

### 6. Accidental release measures

Ensure adequate ventilation. Use personal protective equipment. Evacuate personnel to **Personal Precautions** 

safe areas. Keep people away from and upwind of spill/leak.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not ingest.
Storage	Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Formaldehyde	TWA: 0.1 ppm	(Vacated) TWA: 3 ppm	IDLH: 20 ppm	Ceiling: 0.3 ppm
	STEL: 0.3 ppm	(Vacated) STEL: 10 ppm	TWA: 0.016 ppm	
		(Vacated) Ceiling: 5 ppm	Ceiling: 0.1 ppm	
		TWA: 0.75 ppm		
		STEL: 2 ppm		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Ensure that eyewash stations and safety showers are close to the workstation location. **Engineering Measures** 

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Long sleeved clothing.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

## 9. Physical and chemical properties

**Physical State** Liauid

**Appearance** No information available Odor No information available **Odor Threshold** No information available рΗ No information available **Melting Point/Range** No data available

No information available **Boiling Point/Range Flash Point** No information available **Evaporation Rate** No information available

Not applicable Flammability (solid,gas)

Flammability or explosive limits

No data available Upper No data available Lower **Vapor Pressure** <=1100 hPa @ 50 °C No information available **Vapor Density Specific Gravity** No information available Solubility No information available Partition coefficient; n-octanol/water No data available

**Autoignition Temperature** No information available **Decomposition Temperature** No information available **Viscosity** No information available

**Molecular Formula** (CH2 O)

## 10. Stability and reactivity

### Paraformaldehyde, 16% w/v aqueous solution

**Reactive Hazard**None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Excessive heat.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO<sub>2</sub>), Formaldehyde

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

### 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

**Dermal LD50** Category 4. ATE = 1000 - 2000 mg/kg.

Mist LC50 Category 4. ATE = 1 - 5 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	Not listed	Not listed
Formaldehyde	500 mg/kg (Rat)	LD50 = 270 mg/kg (Rabbit)	0.578 mg/L (Rat) 4 h

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation** No information available

Sensitization May cause sensitization by skin contact

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Formaldehyde	50-00-0	Group 1	Known	Α1	X	A2

IARC: (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen
A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

**Teratogenicity** No information available.

**STOT - single exposure**STOT - repeated exposure
Respiratory system
None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

delayed

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing:
Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.
Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Formaldehyde	Not listed	Leuciscus idus: LC50 = 15	Not listed	EC50 = 20 mg/L 96h
		ma/L 96h		EC50 = 2  mg/L  48h

Persistence and Degradability Miscible with water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation**No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

Component	log Pow		
Formaldehyde	-0.35		

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes		
Formaldehyde - 50-00-0	U122	ı		

### 14. Transport information

DOT

UN-No UN1760

Proper Shipping Name CORROSIVE LIQUIDS, N.O.S.

Proper technical name Formaldehyde

Hazard Class 8
Packing Group III

TDG

UN-No UN1760

Proper Shipping Name CORROSIVE LIQUID, N.O.S.

Hazard Class 8
Packing Group

IATA

UN-No UN1760

Proper Shipping Name CORROSIVE LIQUID, N.O.S.

Hazard Class 8
Packing Group III

IMDG/IMO

**UN-No** UN1760

Proper Shipping Name CORROSIVE LIQUID, N.O.S.

Hazard Class 8
Packing Group III

## 15. Regulatory information

### **United States of America Inventory**

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	X	ACTIVE	-
Formaldehyde	50-00-0	X	ACTIVE	-

#### Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Water	7732-18-5	X	-	231-791-2	Χ	-	Х	Х	KE-35400
Formaldehyde	50-00-0	X	-	200-001-8	Х	X	Χ	Χ	KE-17074

### U.S. Federal Regulations

### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Formaldehyde	50-00-0	15-16	0.1

### SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Formaldehyde	Х	100 lb	-	-

### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Formaldehyde	X		-

**OSHA** - Occupational Safety and

Health Administration

Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Formaldehyde	2 ppm STEL	TQ: 1000 lb
· ·	0.5 ppm Action Level	
	0.75 ppm TWA	

CERCLA Not applicable

Component	Hazardous Substances RQs	CERCLA EHS RQs
Formaldehyde	100 lb	100 lb

California Proposition 65 This product does not contain any Proposition 65 chemicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Formaldehyde	50-00-0	Carc. (Gaseous only)	40 μg/day	Carcinogen

### U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	X	-	-
Formaldehyde	X	X	X	X	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### U.S. Department of Homeland

Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Formaldehyde	Release STQs - 15000lb (solution)

#### Other International Regulations

Mexico - Grade No information available

### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Revision Date
 25-Apr-2019

 Print Date
 25-Apr-2019

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of SDS**