

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 01/24/2007

1 Identification

Product identifier

Product name: Cerium (IV) nitrate, 1N solution

Stock number: 42133

CAS Number: 13093-17-9

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS03 Flame over circle

Ox. Liq. 2 H272 May intensify fire; oxidizer.



Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. **Hazards not otherwise classified** No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS03 GHS05

Signal word Danger

Hazard statements
H272 May intensify fire; oxidizer.
H314 Causes severe skin burns and eye damage.
Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

P501 Dispose of contents/contains
WHMIS classification
C - Oxidizing materials
D2B - Toxic material causing other toxic effects
E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH I Health (acute effects) = 1
Flammability = 0
Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 13093-17-9 Cerium (IV) nitrate, 1N solution

4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

(Contd. on page 2)

(Contd. of page 1)

Product name: Cerium (IV) nitrate, 1N solution

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
For safety reasons unsuitable extinguishing agents Halocarbon extinguisher
Special hazards arising from the substance or mixture
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.
If this product is involved in a fire, the following can be released:
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Absorb with liquid-binding material.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:
Substance/product can reduce the ignition temperature of flammable substances.
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.

Do not store with organic materials.

Store away from metal powders.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific and useful No further relevant information available.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace:

Nitric acid ACGIH TLV 2; 4-STEL 2 Austria MAK Belgium TWA Denmark TWA 2; 4-STEL 2 2; 5-STEL (skin) 2; 5-VLE 2 Finland TWA France VME

France VME 2; 5-VLE
Germany MAK
2
Hungary 5 mg/m3-STEL
Japan OEL 2
Korea TLV 2; 4-STEL
Norway TWA 2
Poland TWA 5 mg/m3-STEL (skin)
Sweden NGV 2; 5-KTV
United Kingdom LTEL 2; 4-STEL
USA PEL 2
Additional information: No data

Additional information: No data

(Contd. on page 3)

Product name: Cerium (IV) nitrate, 1N solution

(Contd. of page 2)

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodsulfs, beverages and feed.

Reep away from foodstufts, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Eve protection:

The selection of suitable gloves not only de Eye protection: Tightly sealed goggles Full face protection Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Color: Colorless Odor: Odorless Odor threshold: Not determined.

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Flash point:

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:

Danger of explosion: Explosion limits:

Lower:

Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density

Vapor density
Evaporation rate
Solubility in / Miscibility with
Water: Water: Fully miscible
Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: kinematic:

Other information

Not determined. Not determined.

Not determined.

Not determined Not determined Not determined Not applicable Not determined

Not determined Not determined Not determined

Not determined

Not determined.

Not determined

Not determined. Not determined.

Not determined Not determined 1.35 g/cm³ (11.266 lbs/gal) Not determined.

No further relevant information available

10 Stability and reactivity

Reactivity May intensify fire; oxidizer.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Water reacts violently with alkali metals.

Reacts with alkaline earth metals.

Reacts with aixaline earth metals.
Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.
Reacts with reducing agents
Reacts with flammable substances
Conditions to avoid No further relevant information available.

Incompatible materials: Flammable substances

Reducing agents Organic materials Metal powders

Hazardous decomposition products: Nitrogen oxides

11 Toxicological information

Information on toxicological effects
Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification:
Oral: LDLo: 430 mg/kg (hmn)(HNO3)
Unreported: LDLo: 110 mg/kg (man)(HNO3)
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Aspiration hazard: No effects known.

(Contd. on page 4)

Product name: Cerium (IV) nitrate, 1N solution

(Contd. of page 3)

Subacute to chronic toxicity:

Nitric acid is a corrosive oxidizing acid. The liquid causes burns on contact. Eye contact may cause blindness. Vapors are irritating and cause upper respiratory irritation which may be severe. Corrosive to the teeth and digestive tract on ingestion. Dilute solutions have reduced effects.

Cerium salts increase the blood coagulation rate. Exposure to cerium salts may increase sensitivity to heat, itching and skin lesions. Large doses to experimental animals have caused writhing, ataxia, labored respiration, sedation, hypotension and death by cardiovascular collapse.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number DOT, IMDG, IATA	UN3218
UN proper shipping name DOT IMDG, IATA	Nitrates, inorganic, aqueous solution, n.o.s. NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
Transport hazard class(es)	





5.1 Oxidising substances. Label Class (O1) Oxidizing substances Label IMDG, IATA



5.1 Oxidising substances. Class Label

Packing group DOT, IMDG, IATA

Environmental hazards:

Not applicable. Warning: Oxidizing substances Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT Marine Pollutant (DOT):

UN "Model Regulation":

No UN3218, Nitrates, inorganic, aqueous solution, n.o.s. (cerium (IV) nitrate solution), 5.1, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS03 GHS05

Signal word Danger

Hazard statements H272 May intensify fire; oxidizer. H314 Causes severe skin burns and eye damage.

Precautionary statements
P221 Take any

Precautionary statements
P221 Take any precaution to avoid mixing with combustibles.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

(Contd. on page 5)

Product name: Cerium (IV) nitrate, 1N solution

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. of page 4)

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: International Civil Aviation Organization
ICAO: International Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)
NARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA